

Bid Specifications:

INVITATION TO BID PARKING LOT REPAIRS PETTIS COUNTY AMBULANCE DISTRICT:

The Pettis County Ambulance District soliciting bids for parking lot repairs at 210 W 4th Street, Sedalia, Mo.

Concrete Flatwork:

The tear out and replacement of 57' x64' concrete parking lot

The tear out and replacement of 57' x59' concrete parking lot

Concrete depth- 6" min

Reinforcement - 6-6-10 wire mesh and 1/2 rebar dowels to pin concrete together

1' base rock will be used, and all rock will be compacted

Concrete joints will be cut were needed

Lite broom finish

The successful bidder will provide pricing for each section and the board reserves the right to only repair one section or both dependent on available funds.

Local proposers based out of Pettis County highly desired. General liability insurance required.

Interested vendors should submit bids clearly marked Parking Lot by 12:00 P.M.CDT, March 26, 2019 to 210 W.4th Street Sedalia, MO. Bids will be publicly opened at 6:00 P.M. in the Education Building at 400 S. Kentucky Sedalia, MO. The Pettis County Ambulance District reserves the right to reject any and all bids and waive any informality. The Pettis County Ambulance District also reserves the right to select the lowest and/or best bidder as determined by the District in its sole discretion.

The Board of Directors shall formally award the most advantageous responsible bid proposal received at their regular session on April 9, 2019 at 6:00 p.m. For more information please call 660.829.0777 ext. 900 or email bids@pcad653.com.